



# PERRY JOHNSON LABORATORY ACCREDITATION, INC.

## *Certificate of Accreditation*

*Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:*

### ***Metrología Aplicada y Servicios, S. de R.L. de C.V.***

***Ramón Rayón # 1520, Int-9 Col. Rio Bravo  
Ciudad Juárez, Chihuahua, México. C.P. 32550***

*(Hereinafter called the Organization) and hereby declares that Organization is accredited  
in accordance with the recognized International Standard:*

### **ISO/IEC 17025:2017**

This accreditation demonstrates technical competence for a defined scope and the  
operation of a laboratory quality management system  
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

### ***Dimensional Inspection and Mechanical Testing (As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen  
President

*Initial Accreditation Date:*

August 28, 2002

*Issue Date:*

April 12, 2023

*Expiration Date:*

April 30, 2025

*Accreditation No.:*

22580

*Certificate No.:*

L23-291

Perry Johnson Laboratory  
Accreditation, Inc. (PJLA)  
755 W. Big Beaver, Suite 1325  
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based on a  
continuous accreditation cycle. The validity of this certificate should be  
confirmed through the PJLA website: [www.pjllabs.com](http://www.pjllabs.com)*



# Certificate of Accreditation: Supplement

## Metrología Aplicada y Servicios, S. de R.L. de C.V.

Ramón Rayón # 1520, Int-9 Col. Rio Bravo  
Ciudad Juárez, Chihuahua, México. C.P. 32550

Contact Name: Carlos Valenzuela Phone: 52 (656) 617-6617

*Accreditation is granted to the facility to perform the following testing:*

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Dimensional Inspection <sup>F</sup>	Dimensional Artifacts	Measurement of Parts Geometrically Dimensioned and Tolerance (GD&T)	ASME Y 14.5 CMM	X= 900 mm Y= 1 500 mm Z= 600 mm (Res.= 0.002 5 mm)
			ASME Y 14.5 Vision System	X= 900 mm Y= 600 mm Z= 300 mm (Res.= 0.005 1 mm)
	Metallic and Plastics Work Pieces and Checking Fixtures	3D Measurement	ASME Y14.5 Hexagon 8530-7 Articulated Arm CMM	Up to 3 000 mm (Res. = 0.008 mm)
Mechanical <sup>F</sup>	Safety Relief Valves	Tightness Test	NOM-093-SCFI	5 kPa to 6 897 kPa (0.725 psi to 1 000.325 psi)

- The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer<sup>F</sup> would mean that the laboratory performs this testing at its fixed location.